

TRANSIT VAN SOLUTIONS

GETTING THE JOB DONE

SAFELY



In the past few years, the popularity of transit vans has risen tremendously in North America. The versatility of the vehicle has proven to be ideal for everyone from utility fleet owners to construction site workers. And because vans can serve so many different industries, the need for safety and warning equipment is monumental.

There are many benefits to a transit van – one of the most popular being its ability to be customized to the needs of almost any user. Shelving and racks can help tradesmen stay organized, while benches can help move a small construction crew and their materials in one trip.


No matter your needs, safety is always a priority. ECCO offers an extensive line of lighting and warning solutions that are ideally suited for all types of transit van applications. High-intensity LED warning light signals provides optimal rear and front visibility. Reversing safety solutions, which include industry-leading back-up alarms and camera systems, assist drivers with blind spots and help alert others of reversing vehicles.



Take a look at our extensive line of products that will help you get your transit van job ready in no time.



LIGHTBARS



Recommended installation location

TRANSIT VAN SOLUTIONS

12 Series

SAE Class I LED Lightbar



54" # 12-00002-E

- C** Amber
- T** 16 LEDs
- V** 12-24
- A** 7.2
- ☑ SAE J845 Class I, California Title 13, CE, R10
- 🕒 3 Year



60" # 12-00003-E

- C** Amber
- T** 16 LEDs
- V** 12-24
- A** 7.2
- ☑ SAE J845 Class I, California Title 13, CE, R10
- 🕒 3 Year


14 Series

SAE Class I Modular LED Lightbar



39" # 14-00005-E

- C** Amber
- T** 8 LEDs
- V** 12-24
- A** 7.2
- ☑ SAE J845 Class I, Cal. Title 13, R65, R10
- 🕒 5 Year



48" # 14-00006-E

- C** Amber
- T** 12 LEDs, 1 Safety Director
- V** 12-24
- A** 13.3
- ☑ SAE J845 Class I, Cal. Title 13, R65, R10
- 🕒 5 Year

21 Series

SAE Class I LED Lightbar



22" # 21-00002-E

- C** Amber
- T** 6 LEDs
- V** 12
- A** 3.0
- ☑ SAE J845 Class I, Cal. Title 13
- 🕒 5 Year



47" # 21-00004-E

- C** Amber
- T** 14 LEDs
- V** 12
- A** 7.0
- ☑ SAE J845 Class I, Cal. Title 13
- 🕒 5 Year



52" # 21-00009-E

- C** Amber
- T** 16 LEDs, 6 Module Safety Director
- V** 12
- A** 8.0
- ☑ SAE J845 Class I, Cal. Title 13
- 🕒 5 Year


AVAILABLE COLORS (12, 14, & 21 Series)

Amber, Blue, Green, Red & White




Custom configurations available

MINIBARS



Recommended installation location

TRANSIT VAN SOLUTIONS



5585A REFLEX

- C** Amber
- V** 12-24
- A** 5.1
- X** 4 Bolt
- ⊕** SAE J845 Class I, CE, R10, IP65
- ⌚** 3 Year

AVAILABLE COLORS

Amber, Blue, Clear, Green, Red & Amber/Clear
(MG models amber illumination only)



5587A REFLEX

- C** Amber
- V** 12-24
- A** 5.1
- X** 4 Bolt
- ⊕** SAE J845 Class I, CE, R10, IP65
- ⌚** 3 Year

AVAILABLE COLORS

Amber, Clear, Amber/Clear
(MG models amber & amber/clear only)



5590A REFLEX

- C** Amber
- V** 12-24
- A** 6.0
- X** 4 Bolt
- ⊕** SAE J845 Class I
California Title 13, CE, R10, IP65
- ⌚** 3 Year

AVAILABLE COLORS

Amber, Blue, Clear, Green & Red
(MG models amber & amber/clear only)




5597A REFLEX

- C** Amber
- V** 12-24
- A** 6.0
- X** 4 Bolt
- ⊕** SAE J845 Class I, California Title 13,
CE, R10, IP65
- ⌚** 3 Year

AVAILABLE COLORS

Amber, Clear, Amber/Clear
(MG models amber & amber/clear only)



5580A REFLEX


- C** Amber
- V** 12-24
- A** 2.7
- X** 4 Bolt
- ⊕** SAE J845 Class II, CE, R10, IP65
- ⌚** 3 Year

AVAILABLE COLORS

Amber



BEACONS



Recommended installation location

TRANSIT VAN SOLUTIONS



7945A

- C** Amber
- V** 12-48
- A** 1.3
- X** 3 Bolt / 1" Pipe
- ⊗** SAE J845 Class II, CE, R10
- ⌚** 2 Year



7950A

- C** Amber
- V** 12-48
- A** 1.3
- X** 3 Bolt / 1" Pipe
- ⊗** SAE J845 Class II, CE, R10
- ⌚** 2 Year



7965A

- C** Amber
- V** 12-24
- A** 3.6
- X** 3 Bolt / 1" Pipe
- ⊗** SAE J845 Class I, CE, R10
- ⌚** 2 Year



7970A

- C** Amber
- V** 12-24
- A** 3.6
- X** 3 Bolt / 1" Pipe
- ⊗** SAE J845 Class I, CE, R10
- ⌚** 2 Year

AVAILABLE COLORS (7900 SERIES)
Amber, Blue, Clear, Green & Red



CA models = clear lens / amber illumination | CC models = clear lens / clear illumination




EB7180A

- C** Amber
- V** 12-24
- A** 6.2
- X** 3 Bolt / 1" Pipe
- ⊗** SAE J845 Class I, Cal. Title 13, R10, IP55, AMECA
- ⌚** 3 Year



EB7180A-VM

- C** Amber
- V** 12-24
- A** 6.2
- X** Vacuum-Magnet
- ⊗** SAE J845 Class I, Cal. Title 13, R10, IP55, AMECA
- ⌚** 3 Year



EB7185A Dual-color

- C** Amber
- V** 12-24
- A** 8.6
- X** 3 Bolt / 1" Pipe
- ⊗** SAE J845 Class I, Cal. Title 13, R10, IP55, AMECA
- ⌚** 3 Year



EB7185A-VM Dual-color

- C** Amber
- V** 12-24
- A** 8.6
- X** Vacuum-Magnet
- ⊗** SAE J845 Class I, Cal. Title 13, R10, IP55, AMECA
- ⌚** 3 Year


AVAILABLE COLORS (EB7180 / EB7185)
Amber, Clear/Amber/Amber, Clear/Amber/Clear & Clear/Clear/Clear



CAA models = clear lens / amber illumination | CAC models = clear lens / amber and clear illumination | CCC models = clear lens / clear illumination

Where applicable, change A in part number to available color

DIRECTIONAL LEDs



Recommended installation location options

TRANSIT VAN SOLUTIONS



- # ED3701A** Solid- or split-color
C Amber
V 12-24
A 0.8
X 2 Bolt
⊕ SAE J595 Class I
 California Title 13, R65, R10
⌚ 3 Year

AVAILABLE COLORS

Amber, Blue, Clear, Green, Red, Amber/Blue, Amber/Clear, Amber/Green, Amber/Red, Blue/Clear, Red/Blue & Red/Clear



- # ED3706A** Solid- or split-color
C Amber
V 12-24
A 0.9
X Multi-Mount (surface, tilt bracket, self-adhesive, edge)
⊕ SAE J595 Class I, California Title 13, R65, R10, IP67
⌚ 3 Year

AVAILABLE COLORS

Amber, Blue, Clear, Green, Red, Amber/Blue, Amber/Clear, Amber/Green, Amber/Red, Red/Blue



- # 3510A**
C Amber
V 12-24
A 0.75
X 2 Bolt
⊕ SAE J595 Class I
 California Title 13, CE, R10
⌚ 5 Year

AVAILABLE COLORS

Amber, Blue, Clear, Green & Red



- # ED3702AC** Dual-color
C Amber/Clear
V 12-24
A 0.6
X 2 Bolt
⊕ SAE J595 Class I
 California Title 13, R65, R10
⌚ 3 Year

AVAILABLE COLORS

Amber/Blue, Amber/Clear, Amber/Green, Amber/Red, Blue/Clear, Red/Blue & Red/Clear



- # ED3712AC** Dual-color
C Amber/Clear
V 12-24
A 0.9
X Multi-Mount (surface, tilt bracket, self-adhesive, edge)
⊕ SAE J595 Class I, California Title 13, R65, R10
⌚ 3 Year

AVAILABLE COLORS

Amber/Blue, Amber/Clear, Amber/Green, Amber/Red, Blue/Clear, Red/Blue & Red/Clear



- # 3703A / 3704A / 3705A**
C Amber
V 12-24
A 0.5
X 2 Bolt
⊕ SAE J595 Class I, R10
⌚ 3 Year

AVAILABLE COLORS

Amber, Blue, Clear, Green & Red




(3704 & 3705 only)

Synchronization Capable

Where applicable, change A in part number to available color

WORKLAMPS



Recommended installation location options

TRANSIT VAN SOLUTIONS



- # EW2471
- V 12-24
- A 1.2
- L 550 Raw, 500 Effective
- Flood
- ✓ CE, R10, IP67
- 🕒 3 Year



- # EW2481
- V 12-24
- A 1.2
- L 600 Raw, 600 Effective
- Flood
- ✓ CE, R10, IP67
- 🕒 3 Year



- # EW2491
- V 12-24
- A 1.2
- L 550 Raw, 450 Effective
- Flood
- ✓ CE, R10, IP67
- 🕒 3 Year





- # EW2450
- V 12-24
- A 2.2
- L 1300 Raw, 1100 Effective
- Spot
- ✓ CE
- 🕒 3 Year




- # EW2451
- V 12-24
- A 2.2
- L 1300 Raw, 1100 Effective
- Flood
- ✓ CE
- 🕒 3 Year




- # EW2461CA-NA
- C Clear  / Amber 
- V 12-24
- L 650 Raw, 600 Effective (clear)
- Flood
- 🕒 1 Year



- # EW2102 
- V 12-24
- A 2.6
- L 2000 Raw, 1600 Effective
- Flood
- ✓ CE, R10, IP67
- 🕒 3 Year

INTERIOR LIGHTING






Recommended installation location options




TRANSIT VAN SOLUTIONS

Strip Lighting



- 12"**
EW0116
T 18 LED
V 12
A 0.4
L 350 Raw, 350 Effective
 Flood
 CE, RoHS, IP65
 3 Year



- 24"**
EW0117
T 36 LED
V 12
A 0.7
L 700 Raw, 700 Effective
 Flood
 CE, RoHS, IP65
 3 Year




ACCESSORIES

EZO120 PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)






Interior Lighting






- 4.5" CLEAR**
EW0310
T 4 LED
V 12-24
A 0.1
L 100 Raw, 100 Effective
 Flood
 CE, RoHS
 3 Year



- 7" CLEAR**
EW0320
T 8 LED
V 12-24
A 0.1
L 200 Raw, 200 Effective
 Flood
 CE, RoHS,
 3 Year






- 14" MODULAR FROST**
EW0351
T 16 LED
V 12
A 0.5
L 300 Raw, 250 Effective
 Flood
 CE, RoHS
 3 Year







CONNECT MULTIPLE UNITS TOGETHER
 
 Multiple lengths available






- 7"**
EW0500
T 42 LED
V 12-24
A 0.5
L 250 Raw, 200 Effective
 Flood
 CE, R10, RoHS
 3 Year






- 15"**
EW0503
T 108 LED
V 12-24
A 0.8
L 600 Raw, 550 Effective
 Flood
 CE, R10, RoHS
 3 Year






- 18"**
EW0600
T 96 LED
V 12-24
A 1.7
L 2000 Raw, 1900 Effective
 Flood
 CE, RoHS
 3 Year






- 33"**
EW0602
T 192 LED
V 12-24
A 3.6
L 4900 Raw, 4800 Effective
 Flood
 CE, RoHS
 3 Year




- 13"**
EW0700
T 6 LED
V 12-24
A 0.5
L 400 Raw, 350 Effective
 Flood
 CE, RoHS
 3 Year



- 22"**
EW0701
T 12 LED
V 12-24
A 0.9
L 1250 Raw, 1200 Effective
 Flood
 CE, RoHS
 3 Year

REVERSING SAFETY



Recommended installation location options

TRANSIT VAN SOLUTIONS

Back-Up Alarm



510
 SRC*
 12
 97
 0.2
 2 Bolt
 SAE J994 Type C
 CE, R10, UL, AMECA, IP65
 2 Year

Multi-Frequency Alarm



EA5200 MULTI-FREQUENCY
 12-24
 97
 1.0
 2 Bolt
 SAE J994 Type C
 CE, R10, AMECA
 2 Year

Camera Systems



EC5603-K Geminye
 5.6" LCD color system
 Touchscreen menu control
 CMOS 11 LED infrared camera
 Includes monitor sunshade
 Three camera expandable
 One year warranty



EC5605-WK Geminye
 5.6" LCD color system
 2.4 GHz digital wireless system
 Touchscreen menu control
 CMOS 11 LED infrared camera
 2 Bolt
 Includes monitor sunshade
 Four camera expandable
 One year warranty



EC4200-K Geminye
 4.3" LCD Color Mirror System
 Non-commercial applications
 Mirror integrated monitor
 Flush mount CMOS 10 LED
 infrared camera
 Two camera expandable
 One year warranty



EC7003-K Geminye
 7" LCD color system
 Touchscreen menu control
 CMOS 11 LED infrared camera
 Includes monitor sunshade
 Three camera expandable
 One year warranty



Worldwide leader in
commercial and emergency
vehicle warning and safety products

www.eccosafetygroup.com



833 West Diamond Street, Boise, Idaho 83705
(800) 635-5900 | sales@eccolink.com | www.eccolink.com

A Division of ESG | www.eccosafetygroup.com



© 2016 Electronic Controls Company
TRANSITVANBROCHURE (1216 - Digital)